

Family	Polypeptide SEQ ID NO
NEW42	349
NEW49	350
NEW50	351
NEW51	352
NEW52	353
NEW53	354
NEW54	355
NEW55	356
NEW56	357
NEW56-mut2**	358
NEW56-mut3**	359
NEW57	360
NEW63	361
NEW64	362
NEW65	363
NEW66	364
NEW76	365
NEW105	366
NEW106	367
NEW107	368

** silent mutation, i.e. the polypeptide is the same as New1 or New 56

Please substitute Table G on page 30 with the following rewritten Table G in its place.

TABLE G

Family	Polypeptide SEQ ID NO
Chimeras with BVH-11 and BVH-3	
New17	M*-NEW5-G*P*-NEW1 (376)
New20	M*-NEW1-G*P*-NEW5 (377)
New26	M*-NEW10-G*P*-NEW25 (378)
New27	M*-NEW19-G*P*-NEW25 (379)
New28	M*-NEW10-G*P*-NEW1 (380)
New29	M*-NEW5-G*P*-NEW25 (381)
New30	M*-NEW4-G*P*-NEW25 (382)
New31	M*-NEW4-G*P*-NEW1 (383)
NEW32	M*-NEW19-G*P*-NEW1 (384)

* OPTIONAL AMINO ACID

Please substitute Table 2 on pages 38 and 39 with the following Table 2 in its place.

-- Table 2. Lists of truncated BVH-3, BVH-11, BVH-11-2 and Chimeric gene products generated from S. pneumoniae SP64

PCR-primer sets	Protein designation	Identification	Encoded amino acids (SEQ ID NO 6)	Cloning vector
OCRR479-OCRR480	BVH-3M	BVH-3 w/o ss	21-1039	pSL301
OCRR479-OCRR497	BVH-3AD	BVH-3 N'end w/o ss	21-509	pSL301
HAMJ248-HAMJ249	L-BVH-3AD	BVH-3 N'end	1-509	pET-21(+)
OCRR498-OCRR499	BVH-3B	BVH-3 C'end	512-1039	pSL301
OCRR479-HAMJ172	BVH-3C	BVH-3 N'end w/o ss	21-225	pET-32 c(+)
OCRR487-OCRR488	BVH-11M	BVH-11 w/o ss	20-840	pCMV-GH
HAMJ251-OCRR487	BVH-11A	BVH-11 N'end w/o ss	20-353	pET-32 c(+)
HAMJ171-OCRR488	BVH-11B	BVH-11 C'end	354-840	pET-32 a(+)
HAMJ264-OCRR488	BVH-11C	BVH-11 C'end	228-840	pET-32 a(+)
HAMJ278-HAMJ279	NEW1	BVH-3 C'end	472-1039	pET-21b(+)
HAMJ278-HAMJ280	NEW2	BVH-3 C'end	472-800	pET-21b(+)
HAMJ281-HAMJ279	NEW3	BVH-3 C'end	800-1039	pET-21b(+)
HAMJ284-HAMJ285	NEW4	BVH-11 C'end	286-840	pET-21d(+)
HAMJ284-HAMJ286	NEW5	BVH-11 internal	286-713	pET-21d(+)
HAMJ287-HAMJ288	NEW6	BVH-11 internal	672-792	pET-21d(+)
HAMJ285-HAMJ289	NEW7	BVH-11 C'end	709-840	pET-21d(+)
HAMJ284-HAMJ290	NEW8	BVH-11 internal	286-511	pET-21d(+)
HAMJ286-HAMJ291	NEW9	BVH-11 internal	511-713	pET-21d(+)
HAMJ160-HAMJ186	BVH-11-2M	BVH-11-2 w/o ss	20-838	pSL301
HAMJ292-HAMJ293	NEW10	BVH-11-2 C'end	271-838	pET-21d(+)
HAMJ293-HAMJ294	NEW11	BVH-11-2 C'end	699-838	pET-21d(+)
HAMJ282-HAMJ283	NEW13	BVH-11 C'end	354-840	pET-21b(+)
HAMJ286-HAMJ297	NEW14	BVH-11-2 internal	227-699	pET-21d(+)
HAMJ300-HAMJ313	NEW15	BVH-3 N'end w/o ss	21-800	pET-21b(+)
HAMJ301-HAMJ302	NEW16	BVH-11 N'end w/o ss	20-709	pET-21d(+)
HAMJ352-HAMJ353	NEW18	BVH-11-2 internal	227-520	pET21d(+)
HAMJ354-HAMJ355	NEW19	BVH-11-2 C'end	497-838	pET21d(+)

HAMJ404-HAMJ279	NEW21	BVH-3 C'end	396-1039	pET21b(+)
HAMJ464-HAMJ465	NEW22	BVH-3 internal	233-446	pET-21a(+)
HAMJ466-HAMJ467	NEW23	BVH-3 internal	398-509	pET-21b(+)
HAMJ352-HAMJ293	NEW24	BVH-11-2 C'end	227-838	pET-21d(+)
HAMJ464-HAMJ470	NEW25	BVH-3 C'end	233-1039	pET-21b(+)
HAMJ278-HAMJ279 (NEW 1) HAMJ282- HAMJ283 (NEW 13)	NEW12	Chimera*	M-NEW 1 -KL - NEW 13	pET 21 b (+)
HAMJ284-HAMJ350 (NEW 5) HAMJ351- HAMJ279 (NEW 1)	NEW17	Chimera*	M- NEW 5 -GP - NEW 1	pET 21 d (+)
HAMJ358-HAMJ359 (NEW 1) HAMJ403- HAMJ361 (NEW 5)	NEW20	Chimera*	M- NEW 1 -GP - NEW 5	pET 21 d (+)
HAMJ292-HAMJ471 (NEW 10) HAMJ472- HAMJ470 (NEW 25)	NEW26	Chimera*	M- NEW 10 -GP - NEW 25	pET 21 d (+)
HAMJ355-HAMJ471 (NEW 19) HAMJ472- HAMJ470 (NEW 25)	NEW27	Chimera*	M- NEW 19 -GP - NEW 25	pET 21 d (+)
HAMJ292-HAMJ471 (NEW 10) HAMJ351 - HAMJ279 (NEW 1)	NEW28	Chimera*	M- NEW 10 -GP - NEW 1	pET 21 d (+)
HAMJ284-HAMJ350 (NEW 5) HAMJ472- HAMJ470 (NEW 25)	NEW29	Chimera*	M- NEW 5 -GP - NEW 25	pET 21 d (+)
HAMJ284-HAMJ483 (NEW 4) HAMJ472- HAMJ470 (NEW 25)	NEW30	Chimera*	M- NEW 4 -GP - NEW 25	pET 21 d (+)
HAMJ284-HAMJ483 (NEW 4) HAMJ351- HAMJ279 (NEW 1)	NEW31	Chimera*	M- NEW 4 -GP - NEW 1	pET 21 d (+)
HAMJ355-HAMJ471 (NEW 19) HAMJ351- HAMJ279 (NEW 1)	NEW32	Chimera*	M- NEW 19 -GP - NEW 1	pET 21 d (+)

w/o ss : without signal sequence. Analysis of the BVH-3, BVH-11 and BVH-11-2 protein sequences suggested the presence of putative hydrophobic leader sequences.

* encoded amino acids for the chimeras are expressed as the gene product, additional non essential amino acids residue were added M is methionine, K is lysine, L is leucine, G is glycine and P is proline.

Please substitute Table 13 on pages 78 and 79 with the following rewritten Table 13 in its place.

Table 13. Lists of truncated variant BVH-3 gene products generated from S. pneumoniae

SP64

Protein d signation	Gene/ Protein SEQ ID NO	Protein Identification*	PCR primer set (ref. table 12)	Gene used for mutagenesis
NEW1- mut1**	[237]255	NEW1	39	NEW1
NEW35A	[238]256	NEW1 550- <u>SGD</u> GTS-555	14,17,20,22	NEW1
NEW42	[239]349	NEW40 55- <u>SGD</u> SN S -60 144- <u>SGD</u> GTS-149	9, 10, 11, 14, 17, 20, 22	NEW40
NEW49	[240]350	NEW40 55- <u>SGD</u> HNH-60	9	NEW40
NEW50	[241]351	NEW40 55- <u>SGD</u> SNH-60	10	NEW49
NEW51	[242]352	NEW40 55- <u>SGD</u> HNH-60 144- <u>SGD</u> HHH-149	14	NEW49
NEW52	[243]353	NEW40 55- <u>SGD</u> SNH-60 144- <u>SGD</u> GHH-149	10, 17	NEW51
NEW53	[244]354	NEW40 55- <u>HGD</u> HNH-60 144- <u>SGD</u> HHH-149	14	NEW40
NEW54	[245]355	NEW40 55-[S] <u>HGD</u> HNH-60 144- <u>SGD</u> GHH-149	17	NEW53
NEW55	[246]356	NEW1 550- <u>HGD</u> GHH-555	23	NEW1
NEW56	[247]357	NEW40 55- <u>HGD</u> SNH-60 144- <u>SGD</u> HHH-149	24	NEW53
NEW56- mut2**	[248]358	NEW56	40	NEW56
NEW56- mut3**	[249]359	NEW56	46,47,48	NEW56
NEW57	[250]360	NEW40 55- <u>HGD</u> HNS-60 144- <u>SGD</u> HHH-149	25	NEW53
NEW63	[251]361	NEW40 55- <u>HGD</u> SNH-60 144- <u>HGD</u> HHH-149	24	NEW40
NEW64	[252]362	NEW40 55- <u>HGD</u> HNS-60 144- <u>HGD</u> HHH-149	25	NEW40
NEW65	[253]363	NEW40 55- <u>HGD</u> SNH-60 144- <u>HGD</u> GHH-149	23	NEW63

A
4

Protein designation	Gene/ Protein SEQ ID NO	Protein Identification*	PCR primer set (ref. table 12)	Gene used for mutagenesis
NEW66	[254]364	NEW40 55-HGDHNS-60 144-HGDGHH-149	23	NEW64
NEW76	[255]365	NEW40 55-HGDHNS-60 144-SGDGHH-149	17	NEW64
NEW105	[256]366	NEW40 55-____-60	41, 42, 43	NEW40
NEW106	[257]367	New40 144-____-149	44, 45	NEW40
NEW107	[258]368	NEW40 55-____-60 144-____-149	44, 45	NEW105

* The underlined amino acid residues represent the modification in protein sequence. Nucleotides/amino acid residues are deleted in NEW105, NEW106 and NEW107 constructs.

** silent mutation, i.e. the polypeptide is the same as New1. --

Please substitute Table 18 on page 85 with the following Table 18 in its place.

-- Table 18. Properties of NEW86 and VP43S genes generated from NEW43 gene

A5

PCR-primer sets	Gene/ Protein designation	Identification
HAMJ610-HAMJ354	VP43S	NEW43 C'end corresponding to residues 15-272) (SEQ ID NO:374)
HAMJ490-HAMJ583 HAMJ584-HAMJ354	NEW86	NEW43 109-__PG__-114 (SEQ ID NO:375)

Please substitute Table 22 on pages 89 and 90 with the following Table 22 in its place.

-- Table 22. List of polypeptides encoded by chimeric genes comprising a BVH-3 truncate variant gene and a NEW43 or NEW43 variant gene

A6

Polypeptide designation	SEQ ID NO	Identification
VP 89	369	M-New56 -GP- New43*
VP 90	370	M-New43 -GP- New56
VP 91	371	M-New52 -GP- New43
VP 92	372	M-New43 -GP- New52
VP 93	373	M-New56 -GP- New60
VP 94	332	M-New60 -GP- New56
VP 108	333	M-New56 -GP- New88
VP109	334	M-New88 -GP- New56
VP 110	335	M-New60 -GP- New105
VP 111	336	M-New60 -GP- New107
VP112	337	M-New88 -GP- New105
VP113	338	M-New88 -GP- New107
VP114	339	M-New80-GP- New105

Polyp ptide designation	SEQ ID NO	Identification
VP115	340	M-New80 -GP- New107
VP116	341	M-New83 -GP- New105
VP117	342	M-New83 -GP- New107
VP119	343	M-New43S- GP-New105
VP120	344	M-New43S- GP-New107
VP121	345	M-New80S- GP-New105
VP122	346	M-New80S- GP-New107
VP123	347	M-New88S- GP-New105
VP124	348	M-New88S- GP-New107

* Encoded amino acids for the chimeras are expressed as the gene product, additional amino acid residues were added. M is methionine, G is glycine and P is proline.--

Please substitute Table 23 on page 91 with the following Table 23 in its place.

Table 23. List of PCR oligonucleotide primer pairs designed for the generation of the chimeric genes encoding the polypeptides listed in Table 22.

Primer set	PCR-primer identification	Gene used for PCR amplification	Corresponding position of the gene fragment on the chimeric protein molecule
49	HAMJ490-HAMJ471	Variant New43	N-terminal
50	HAMJ564-HAMJ556	Variant New43	C-terminal
51	HAMJ489-HAMJ359	Variant New40	N-terminal
52	HAMJ559-HAMJ557	Variant New40	C-terminal
53	HAMJ610-HAMJ471	Variant New43S	N-terminal